CARBOHYDRATE RESEARCH VOL. 208 (1990)

AUTHOR INDEX

Albano, R. M., 163
Albersheim, P., 175
Allevi, P., 264
Anastasia, M., 264
Arad, S., 301
Arie, B., 145
Azuma, I., 267

Bahnmüller, R., 37
Basu, S., 241
Bernabé, M., 83, 255
Biliaderis, C. G., 199
Bouwstra, J. B., 117
Boyko, W. J., 193
Brade, H., 37
Brandenburg, H., 1
Brown, R. G., 145

Caro, H.-N., 83
Christiaen, D., 301
Ciuffreda, P., 264
Cunningham, D., 231

Darvill, A. G., 175
Dawsey, T. R., 183
Dehmel, K., 67
Dills, Jr., W. L., 276
Dubinsky, O., 301

Edwards, J. R., 193

Faillard, H., 251
Feather, M. S., 246
Fiecchi, A., 264

Gacesa, P., 306
Gallagher, J., 231
Garrett, E. C., 23
Geresh, S., 301
Glaser, R., 301
Glover, S., 215
Goldschmidt, B., 105

Hase, S., 312
Hasegawa, A., 267
Hermansson, K., 145
Honda, A., 289

Ikenaka, T., 312
Ishida, H., 267

Jain, R. K., 51, 280
Jann, B., 139
Jann, K., 139
Jarchow, O., 1
Jenkins, M. J., 287
Jiménez-Barbero, J., 83, 255
Jones, D. N. M., 15

Kamerling, J. P., 117
Kampchen, T., 111
Kawashima, S., 289
Kenne, L., 145
Kerékgyártó, J., 117
Kiefer, L. L., 175
Kiso, M., 267
Kitagawa, M., 267
Kneissl, G., 111
Kolar, C., 67, 111
Köll, P., 1
Kopf, J., 1
Kosma, P., 37

Lace, D., 306
Lamba, D., 215
Lee, E., 231
Leeflang, B. R., 117
Lenter, M. C., 139
Lerner, L. M., 273
Lindberg, B., 145

Mackie, W., 215
Maddali, U. B., 59
Magnusson, G., 260
Martín-Lomas, M., 83, 255
Masauji, N., 289
Matta, K. L., 51, 280
McArdle, P., 231
McCormick, C. L., 183
Melody, N., 231
Miyamoto, E., 289
Mocerino, M., 287
Moldenhauer, H., 67
Morf, M., 1
Mourão, P .A .S., 153, 163
Mulloy, B., 153, 163
Murata, Y., 289

Newman, J. K., 183
Nilsson, U., 260

Olavesen, A. H., 306
Omichi, K., 312

Pal, J. N., 241
Parra, E., 83
Pavão, M. S. G., 153, 163
Penades, S., 255
Pérez, S., 215
Piculell, L., 127
Ponder, G. R., 93

Ray, A. K., 59, 260
Richards, G. N., 93
Rochas, C., 127
Rothermel, J., 251
Roy, N., 59
Rozhnova, S. Sh., 293

Sanders, J. K. M., 15
Scala, A., 264
Schulz, G., 37
Segre, A. L., 215
Seneviratne, H. D., 199
Serianni, A. S., 23
Shashkov, A. A., 293
Sheldrick, B., 215
Shibaev, V. N., 293
Shin, D. B., 246
Simms, P. J., 193
Stewart, J. E., 145

Torgov, V. I., 293

Vicent, C., 255
Vliegenthart, J. F. G., 117
von Itzstein, M., 287

Wolf, H., 111

York, W. S., 175

Zimmer, B., 1

CARBOHYDRATE RESEARCH VOL. 208 (1990)

SUBJECT INDEX

N-[2-O-(2-Acetamido-1,2,3,5-tetradeoxy-1,5 imino-D-glucitol-3-yl)-D-lactoyl]-L-alanyl-D-isoglutamine, synthesis and immunoadjuvant activity, 267
N-Acetyl-2-selenoneuraminic acid, α-ketoside, synthesis of, 251
Aerococcus viridans var. *homari*, structural studies of the capsular polysaccharide from, 145
(1-^{13}C)Alditols: elimination of magnetic equivalence in ^{1}H- and ^{13}C-n.m.r. spectra of symmetric compounds through ^{13}C-substitution, 23
Alginates and fragments thereof, colorimetric determination as the 2-nitrophenylhydrazides, 289
Alpha-amylases, inhibitors by modified maltooligosaccharides of, 312
4-Amino-4-deoxy and 3,4-diamino-3,4-dideoxy sugars, synthesis of 4-*O*-methyl-β-rhodomycins using derivatives of, 67
Amylose–glyceryl monostearate complex superstructures, solute effects on the thermal stability of, 199
3-*O*-(3,6-Anhydro-α-D-galactopyranosyl)-β-D-galactopyranose (neocarrabiose), molecular structure in the solid state and in solution, 215
Anthracycline oligosaccharides: facile stereoselective synthesis of 2,6-dideoxy-α-L-*lyxo*-hexopyranosides, 111
L-Ascorbic acid, 3-deoxy-L-*glycero*-pentos-2-ulose (3-deoxy-L-xylosone) and L-*threo*-pentos-2-ulose (L-xylosone) as intermediates in the degradation of, 246

4,6-*O*-(*R*)-Benzylidene derivatives of methyl D-glucopyranosides, X-ray crystallographic and n.m.r. studies of, 237
Biotinylated bovine testicular hyaluronidase, the effects of deglycosylation on the properties of native and, 306

Carrabiose and its 4′-sulphate and 2,4′-disulphate, synthesis and conformational studies of, 83
Carrageenan, $^{87}Rb^{+}$ spin relaxation in enzymically purified and in untreated iota-, 127
Cellulose, chlorodeoxy-, and cellulose *p*-toluenesulfonate, competitive formation during homogeneous reaction of *p*-toluenesulfonyl chloride with cellulose in *N,N*-dimethylacetamide–lithium chloride, 183
Cellulose *p*-toluenesulfonate and chlorodeoxycellulose, competitive formation during homogeneous reaction of *p*-toluenesulfonyl chloride with cellulose in *N,N*-dimethylacetamide–lithium chloride, 183
Chiral recognition of 1-*O*-allyl- and 1-*O*-benzyl-D- and -L-*myo*-inositol by cyclomalto-hexaose and -heptaose (α- and β-cyclodextrin), 256
Chlamydia epitope, synthesis of a tetrasaccharide of lipopolysaccharide of, 37
Chlorodeoxycellulose and cellulose *p*-toluenesulfonate, competitive formation during homogeneous reaction of *p*-toluenesulfonyl chloride with cellulose in *N,N*-dimethylacetamide–lithium chloride, 183
Colorimetric determination of alginates and fragments thereof as the 2-nitrophenylhydrazides, 289
Conformational studies of carrabiose and its 4′-sulphate and 2,4′-disulphate, synthesis and, 83
Cyclodextrin, chiral recognition of 1-*O*-allyl- and 1-*O*-benzyl-D-and -L-*myo*-inositol by α- and β-, 256

Deglycosylation, the effects of, on the properties of native and biotinylated bovine testicular hyaluronidase, 306
3-Deoxy-D-*erythro*-hexulose: a convenient synthesis and its interaction with the enzymes of fructose metabolism, 276
3-Deoxy-L-*glycero*-pentose-2-ulose (3-deoxy-L-xylosone) and L-*threo*-pentos-2-ulose (3-deoxy-L-xylosone) as intermediates in the degradation of L-ascorbic acid, 246
2,6-Dideoxy-α-L-*lyxo*-hexopyranosides, facile stereoselective synthesis of, 111
Dimerization of 2,3-*O*-isopropylidene-L-erythrose, 273
Disaccharide methyl glycosides related to the polysaccharide from *Klebsiella* serotype 40, synthesis and a study of their inhibition in the precipitin reaction, 59

Enterobacteriaceae, synthesis of methyl 2-*O*-α-D-galactopyranosyl-3-*O*-β-D-glucopyranosyl-α-D-glucopyranoside, a trisaccharide of the R-1 core antigen of, 241
Epitope of *Chlamydia*, genus-specific lipopolysaccharide, synthesis of tetrasaccharide of, 37

L-Erythrose, 2,3-*O*-isopropylidene-, dimerization of, 273
Escherichia coli O83:K24:H, identification of the K24 antigen as a polymer consisting of α-Kdo*p* and glycerol phosphate, 139

Ferric chloride-catalyzed dimerization of 2,3-O-isopropylidene-L-erythrose, 273
Fructose metabolism, 3-deoxy-D-*erythro*-hexulose: a convenient synthesis and its interaction with the enzymes of, 276
α-L-Fucopyranoside, methyl, 2-O-α-L-fucopyranosyl, 3- and 4-sulfate, synthesis of, 51
α-L-Fucopyranoside, methyl, 2-*O*-(sodium α-L-fucopyranosyl 3- and 4-sulfate)-, synthesis of, 280
2-O-α-L-Fucopyranosyl-α-L-fucopyranoside, methyl, 3- and 4-sulfate, synthesis of, 51

Galactan, structural studies of a sulfated, from *Styela plicata* (Tunicate): analysis of the Smith-degraded polysaccharide, 163
α-L-Galactofucan from the tunicate *Clavelina*, structure of a unique sulfated, 153
α-D-Galactopyranose, 6-*S*-acetyl-6-deoxy-1,2:3,4-di-*O*-isopropylidene-6-thio-, a one-step synthesis of, 287
D-Galactopyranosyl chloride, efficient syntheses of 3,4,6-tri-*O*-acetyl-2-deoxy-2-phthalimido-*β*- and -α-, 260
α-D-Glucopyranoside, methyl 2-*O*-α-D-galactopyranosyl-3-*O*-*β*-D-glucopyranosyl-, a trisaccharide of the R-1 core antigen of Enterobacteriaceae, synthesis of, 241
3-*O*-(α-D-Glucopyranosyluronic acid)-L-galactopyranose isolated from the polysaccharides of various unicellular red algae, structure of, 301
Glucosides, thermal polymerization, polysaccharides from, 93
Glyceryl monostearate–amylose complex superstructures, solute effects on the thermal stability of, 199
C-Glycosylation of 2,3,5-tri-*O*-benzylglycofuranoses promoted by the boron trifluoride–diethyl ether complex, a simple and ready internal, 264

Heptitols, 2,6-anhydro-7-deoxy-7-nitro-D-*glycero*-L-*gulo*- and 1,3,4,5-tetra-*O*-acetyl-2,6-anhydro-7-deoxy-7-nitro-D-*glycero*-D-*manno*-, crystal structures of, 1
Hexitol, 3,4,5-tri-*O*-acetyl-2,6-anhydro-1-deoxy-1-nitro-D-*ido*-, crystal structure of, 1
Hyaluronidase, the effects of deglycosylation on the properties of native and biotinylated bovine testicular, 306

Immunoadjuvant activity of *N*-[2-*O*-(2-acetamido-1,2,3,5-tetradeoxy-1,5-imino-D-glucitol-3-yl)-D-lactoyl]-L-alanyl-D-isoglutamine, synthesis and, 267
myo-Inositol bis- and tris-phosphate isomers, preparative separation by anion-exchange chromatography, 105
myo-Inositol, chiral recognition of 1-*O*-allyl- and 1-*O*-benzyl-D- and -L-by α- and *β*-cyclodextrin, 256

α-Kdo*p* and glycerol phosphate, identification of the K24 antigen of *E. coli O*3:K24:H as a polymer consisting of, 139
Klebsiella serotype 40, synthesis of disaccharide methyl glycosides related to the polysaccharide from, and a study of their inhibition in the precipitin reaction, 59

Levan produced by *Streptococcus salivarius* SS2, the structural analysis of a, 193
Lipopolysaccharide epitope of *Chlamydia*, synthesis of tetrasaccharide of, 37

Magnetic equivalence in ^{1}H- and ^{13}C-n.m.r. spectra of symmetric compounds, elimination of, through ^{13}C-substitution in (1-^{13}C)alditols, 23
Malto-oligosaccharides, modified, inhibitors of human alpha-amylases by, 312
Methyl α-L-fucopyranoside, 2-*O*-(sodium α-L-fucopyranosyl 3- and 4-sulfate)-, synthesis of, 280
Methyl D-glucopyranosides, X-ray crystallographic and n.m.r. studies of 4,6-*O*-(*R*)-benzylidene derivatives of, 237
Methylation of oligoglycosyl alditols using MeI, Me_2SO, and NaOH, oxidation in, 175
Molecular structure of 3-*O*-(3,6-anhydro-α-D-galactopyranosyl)-*β*-D-galactopyranose (neocarrabiose) in the solid state and in solution, 215

N.m.r. assignment of bacterial polysaccharides, a reverse approach to ^{1}H-, 15
Neocarrabiose [3-*O*-(3,6-anhydro-α-D-galactopyranosyl)-*β*-D-galactopyranose], molecular structure in the solid state and in solution, 215
Nitromethane, α-D-glucopyranosyl-, α-D-mannopyranosyl-, α-D-xylopyranosyl-, crystal structures of, 1
2-Nitrophenylhydrazides, colorimetric determination of alginates and fragments thereof as the, 289

Oligoglycosyl alditols, methylation of, using MeI, Me_2SO, and NaOH; oxidation of, 175
Oligosaccharides, malto-, inhibitors of human alpha-amylases by modified, 312
Oligosaccharides related to *N*-glycoproteins, ROESY studies and HSEA calculations on xylose-containing, 117

L-*threo*-Pentos-2-ulose (L-xylosone) and 3-deoxy-L-*glycero*-pentos-2-ulose (3-deoxy-L-xylosone) as intermediates in the degradation of L-ascorbic acid, 246
Phenylseleno α-ketosides of *N*-acetylneuraminic acid, synthesis of, 251
Phosphate isomers, preparative separation of *myo*-inositol bis- and tris-, by anion-exchange chromatography, 105
Polysaccharide, analysis of the Smith-degraded; structural studies of a sulfated galactan from *Styela plicata* (Tunicate), 163
Polysaccharide from *Aerococcus viridans* var. *homari*, structural studies of the capsular, 145
Polysaccharide from *Salmonella kentucky* strain 98/39 (O8, H:*i* Z_6), structural studies of the *O*-specific, 293
Polysaccharides, a reverse approach to ^{1}H-n.m.r. assignments of bacterial, 15
Polysaccharides from thermal polymerization of glucosides, 93
Polysaccharides of various unicellular red algae, structure of 3-*O*-(α-D-glucopyranosyluronic acid)-L-galactopyranose isolated from the, 301
Preparative separation of *myo*-inositol bis- and tris-phosphate isomers by anion-exchange chromatography, 105

$^{87}Rb^+$ spin relaxation in enzymically purified and in untreated iota-carrageenan, 127
Reverse approach to ^{1}H-n.m.r. assignments of bacterial polysaccharides, a, 15
Rhodomycins, synthesis of 4-*O*-methyl-β-, using derivatives of 4-amino-4-deoxy and 3,4-diamino-3,4-dideoxy sugars, 67
ROESY studies and HSEA calculations on xylose-containing oligosaccharides related to *N*-glycoproteins, 117

Salmonella kentucky strain 98/39 (O8, H:*i*, Z_6), structural studies of the *O*-specific polysaccharide from, 293
2-Selenoneuraminic acid, *N*-acetyl, α-ketoside, synthesis of, 251
Solute effects on the thermal stability of glyceryl monsterate–amylose complex superstructures, 199
Spin relaxation in enzymically purified and in treated iota-carrageenan, 127
Stereoselective synthesis of 2,6-dideoxy-α-L-*lyxo*-hexopyranosides, facile, 111
Streptococcus salivarius SS2, the structural analysis of a levan produced by, 193
Structural studies of the capsular polysacchride form *Aerococcus viridans* var. *homari*, 145
Structural studies of the *O*-specific polysaccharide from *Salmonella kentucky* strain 98/39 (O8, H:*i* Z_6), 293
Structure of a unique sulfated α-L-galactofucan from the tunicate *Clavelina*, 153
Structure of the K24 antigen of *E. coli* O83:K24:H, a polymer that consits of α-Kdo*p* and glycerol phosphate, 139
Structure of 3-*O*-(α-D-glucopyranosyluronic acid)-L-galactopyranose isolated from the polysaccharides of various unicellular red algae, 301
Sulfate, 3- and 4-, of methyl 2-O-α-L-fucopyranosyl-α-L-fucopyranoside, synthesis of, 51
Sulfated galactan, structural studies of a, from *Styela plicata* (Tunicate): analysis of the Smith-degraded polysaccharide, 163
3′ and 4′-Sulfates, sodium salts, of methyl 2-*O*-α-L-fucopyranosyl-α-L-fucopyranoside, 280
Synthesis and conformational studies of carrabiose and its 4′-sulphate and 2,4′-disulphate, 83
Synthesis of disaccharide methyl glycosides related to the polysaccharide form *Klebsiella* serotype 40 and a study of their inhibition in the precipitin reaction, 59
Synthesis of methyl 2-*O*-α-D-galactopyranosyl-3-*O*-β-D-glucopyranosyl-α-D-glucopyranoside, a trisaccharide of the R-1 core antigen of *Enterobacteriaceae*, 241
Synthesis of 4-*O*-methyl-β-rhodomycins using derivatives of 54-amino-4-deoxy and 3,4-diamino-3,4-dideoxy sugars, 67
Syntheses of 3,4,6-tri-*O*-acetyl-2-deoxy-2-phthalimido-β- and -α-D-galactopyranosyl chloride, efficient, 260

Thermal polymerization of glucosides, polysaccharides from, 93
Thermal stability of glycerol monostrearate–amylose complex superstructures, solute effects on, 199
3,4,6-Tri-*O*-acetyl-2-deoxy-2-phthalimido-α- and -β-D-galactopyranosyl chloride, efficient syntheses of, 260
2,3,5-Tri-*O*-benzylglycofuranoses, a simple and ready internal *C*-glycosylation of, promoted by the boron trifluoride–diethyl ether complex, 264
Trisaccharide of the R-1 core antigen of *Enterobacteriaceae*, synthesis of methyl 2-*O*-α-D-galactopyranosyl-3-*O*-β-D-glucopyranosyl-α-D-glucopyranoside, a, 241
Tunicate *Clavelina*, structure of a unique sulfated α-L-galactofucan from the, 153

X-ray crystallographic and n.m.r. studies 4,6-*O*-(*R*)-benzylidene derivatives of methyl D-glucopyranosides, 237
Xylose-containing oligosaccharides related to *N*-glycoproteins, ROESY studies and HSEA calculations on, 117